

Assistant Commissioner
 for Patents
 Washington, DC 20231-9999

A

Transmitted herewith for filing is a patent application of:

Roy SHKEDI

for A METHOD FOR TRANSACTING AN ADVERTISEMENT TRANSFER

JC584 U.S. PTO
 09/473078
 12/28/99

Enclosed are:

- [x] 40 sheets of specification.
- [x] 1 sheet of Abstract (added by Preliminary Amendment).
- [x] 6 sheets of claims.
- [x] 8 sheets of formal drawings (FIGS. 1-10)
- [x] Assignment of an invention to Almondnet Ltd., along with the assignment cover sheet is enclosed.
- [x] Declaration.
- [x] A Preliminary Amendment is enclosed.
- [x] Statement Of Status As A Small Entity-Independent Inventor.
- [x] Statement Of Status As A Small Business Entity.
- [x] Claim For Right of Priority and a certified copy of Israel Patent No. 127889, filed December 31, 1998, will follow.

CLAIMS AS FILED

FOR	NO. FILED	NO. EXTRA	RATE	FEE
TOTAL CLAIMS	37	17	[] \$18 LARGE [X] \$9 SMALL	\$153.00
INDEPENDENT CLAIMS	2	0	[] \$78 LARGE [] \$39 SMALL	.00
BASIC FEE [] LARGE ENTITY \$760 [X] SMALL ENTITY \$380				
TOTAL FILING FEE \$ 533.00				

[x] The Commissioner is hereby authorized to charge any additional filing fees which may be required for this application without specific authorization, or credit ar overpayment to Deposit Account No. 06-0308.

[x] Checks in the amount of \$ 533.00 to cover the filing fee \$ 40.00 to cover the assignment recordal fee are enclosed.

28 Dec 1999

Date

FAY, SHARPE, FAGAN, MINNICH & MCKEE, LL

Jay F. Moldovanyi
 Jay F. Moldovanyi
 Reg. No. 29,678

1100 Superior Ave., Suite 700
 Cleveland, OH 44114-2518
 (216) 861-5582

EXPRESS MAIL CERTIFICATE

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. § 1.10 in an envelope addressed to the Assistant Commissioner for Patents, Washington, DC 20231-9999 on this 28th day of December 1999. "Express Mail" Mailing Label No.: EL530714361US

Ben Trella

PATENT IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION OF: Roy Shkedi

**FOR : A METHOD FOR TRANSACTING
AN ADVERTISEMENT TRANSFER**

SERIAL NO. : UNKNOWN

FILED : HEREWITH

ATTORNEY DOCKET NO.: JMB 2 0003

37 C.F.R. 1.27
STATEMENT OF STATUS AS A
SMALL BUSINESS ENTITY

Assistant Commissioner for Patents
Box Application
Washington, D.C. 20231

Dear Sir:

The undersigned affirms:

That he is an officer of the assignee Almondnet Ltd. and is empowered to act on behalf of the assignee; the assignment is being filed concurrently herewith for recording;

That the above listed assignee, together with all of its affiliates combined had fewer than five hundred (500) employees including full-time, part-time, and temporary employees on the average during each pay period of the previous fiscal year of the assignee and its affiliates; and,

That the assignee has not assigned, granted, conveyed, or licensed, and is under no obligation under contract or law to assign, grant, convey, or license any rights in the invention to any person who could not be classified as an independent inventor under 37 C.F.R. 1.9(c) if that person had made the invention, or to any concern which would not qualify as a small business under 37 C.F.R. 1.9(d) or a nonprofit organization under 37

C.F.R. 1.9(e).

The undersigned acknowledges a duty to file, in this application or patents issuing thereon, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time or paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate.

The undersigned further declares that all statements made herein of his own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful and false statements may jeopardize the validity of the application or any patent issuing thereon.

By. _____

Roy Shkedi

Title: Chief Executive Officer

Date: December 26, 1999

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION OF: Roy Shkedi
FOR : A METHOD FOR TRANSACTING
AN ADVERTISEMENT TRANSFER
SERIAL NO. : UNKNOWN
FILED : HERewith
ATTORNEY DOCKET NO.: JMB 2 0003

Cleveland, Ohio 44114-2518
December 23, 1999

37 C.F.R. 1.27
STATEMENT OF STATUS AS
A SMALL ENTITY-INDEPENDENT INVENTOR

Assistant Commissioner for Patents
Box Patent Application
Washington, D.C. 20231

Dear Sir:

The undersigned, Roy Shkedi declares that he is an independent inventor of the invention described and claimed in the foregoing application; that (1) he has not assigned, granted, conveyed, or licensed and (2) he is under no obligation or contract or law to assign, grant, convey, or license, any rights in said invention to any person who could not likewise be classified as an independent inventor under 37 C.F.R. 1.9(c) if that person had made the invention, or to any concern which would not qualify as a small business concern under 37 C.F.R. 1.9(d) or a non-profit organization under 37 C.F.R. 1.9(e).

The undersigned acknowledges that he has a duty to file a notification of any change in status of this application and any patent(s) issuing therefrom which

status prior to, or at the time of paying, the earlier of the issue fee or any maintenance fee due after the date on which the small entity status is no longer appropriate.


The undersigned further declares that all statements made herein of his own knowledge are true and that all statements made on information and belief are believed to be true, and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

By: Roy Shkedi : December 26, 1999
Date

"EXPRESS MAIL" Mailing Label Number EL530714361US

Date of Deposit December 28, 1999

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.


Ben Trella

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Roy Shkedi

Serial No.: Unknown

Filing Date: Herewith

For: **A METHOD FOR TRANSACTING AN
ADVERTISEMENT TRANSFER**

Attorney Docket No.: JMB 2 0003

Cleveland, Ohio 44114
December 28, 1999

Assistant Commissioner For Patents
Washington, D.C. 20231

PRELIMINARY AMENDMENT

Dear Sir:

Prior to examination of the above-identified patent application please amend the application as follows:

IN THE ABSTRACT:

Please insert the following abstract as page number 47 of the application:

--A METHOD FOR TRANSACTING AN ADVERTISEMENT TRANSFER

ABSTRACT OF THE DISCLOSURE

A method for transacting an advertisement transfer from an advertisement distributor to a visitor, when a visitor visits a communication node, includes the steps of constructing a visitor profile and broadcasting the profile to at least one distributor. Responses are collected from the at least one distributor and one response is selected. The communication node contracts with the at least one distributor concerning a transference of the advertisement from the distributor to the visitor. The transfer of the advertisement to the visitor is then effected. A device for transacting an advertisement transfer includes a first module for constructing a visitor profile, a second module for broadcasting the profile to at least one distributor and a third module for collecting responses from the at least one distributor. A fourth module selects a response and a fifth module contracts between the node and the at least one distributor of the selected response concerning a transference of an advertisement from the distributor to the visitor. A sixth module effects a transfer of the advertisement to the visitor.--.


REMARKS

Applicant adds an abstract of the disclosure to the instant application by way of this preliminary amendment.

Prompt and favorable examination of the instant application is respectfully requested.

Respectfully submitted,

FAY, SHARPE, FAGAN,
MINNICH & MCKEE, LLP



Jay F. Moldovanyi, Reg. No. 29,678
1100 Superior Avenue, Suite 700
Cleveland OH 44114-2513
(216) 861-5582

A Method for Transacting an Advertisement Transfer

5

FIELD OF THE INVENTION

This invention relates to a method for transacting an advertisement transfer. More specifically, this invention relates to advertisement transferring in data-communications networks, such as the Internet.

10 BACKGROUND OF THE INVENTION

Simple advertising involves placing a notice describing an availability of goods or services. To be an effective advertisement, the notice should be placed where a party, interested in the goods or services, will give attention to the notice. The advertising industry actively competes, according to the nature
15 of the notice, to optimize the placing of the notice and to optimize the attention that the notice will receive.

Until recently, the advertisement industry placed notices as billboards, signs, inclusion in newspapers, direct mailing, and using broadcast media. Today the Internet and other interactive electronic data-communications
20 systems provide new ground for effective advertising.

In this respect, numerous developments in the advertising industry are noteworthy:

- US5774170 System and method for delivering targeted advertisements to consumers;
- 25 • US5752238 Consumer-driven electronic information pricing mechanism;

- US5740549 Information and advertising distribution system and method;
- US5664948 Delivery of data including preloaded advertising data;
- US5802299: Interactive system for authoring hypertext document collections;
- US5761683: Techniques for changing the behavior of a link in a hypertext; and
- US5794210 Attention brokerage.

These technologies (and the like) are being exploited by many types of
10 “advertising distributors” such as:

- ☐ Ad reach Networks (e.g. Doubleclick, 24/7 Media, Flycast);
- ☐ Local Networks (e.g. digital cities);
- ☐ Broadcast Networks (e.g. Pointcast, Marimba);
- ☐ Content Networks, (e.g. CNET, Disney, AOL, etc.); and
- 15 ☐ Navigation Hubs (e.g. Yahoo, Excite, Netscape, etc.).

What is nevertheless lacking in today’s advertising industry is a mechanism which actively matches an individual potential customer with individual advertisements and then which expresses the rate structure for the individual advertisement as a function of a profile of the individual potential
20 customer. Expressing the rate structure for the individual advertisement, as a function of a profile of the individual potential customer, is not a described nor a delivered product of any of the aforesaid service agencies.

SUMMARY OF THE INVENTION

The method of the present invention facilitates expressing the rate
25 structure for the individual advertisement as a function of a profile of the individual potential customer.

The present invention is directed to the creation of a mechanism from the vantage of an Internet site that is being visited. It should be appreciated

that this must include the participation of other entities in the Internet (such as distributors, clients, intermediary agencies, etc.).

The present invention relates to a method for transacting an advertisement transfer, from an advertisement distributor to a visitor, the
5 method comprising, upon the occurrence of a visitor visitation at a communications node, the communication node performing the steps of:

- (One) **constructing** a visitor profile;
- (Two) **broadcasting** the profile to at least one distributor;
- (Three) **collecting** responses from the at least one distributor;
- 10 (Four) **selecting** a response from the at least one responding distributor;
- (Five) **contracting**, between the node and the at least one distributor of the selected response, a transference of an advertisement from the distributor to the visitor; and
- 15 (Six) **effecting** a transfer of the advertisement to the visitor.

There are three basic embodiment types according to the present invention. Each type relates to a different mercantile perspective on contracting (step “e”): Auction; Tender; and Future inventory purchase.

20

Auction:

- ☐ The communication node broadcasts a visitor’s profile to distributors.
- ☐ The interested distributors reply to the node with a price offer for that profile.
- 25 ☐ The highest offer for that profile wins the auction, which the node conducted for that profile. The node sends the distributor a message of his winning the auction and also sends a predetermined protocol or transactional authorization to pass to the visitor the auctioned advertisement.

- ☐ The distributor sends the advertisement to the visitor and also sends a confirmation to the node. Alternatively, the visitor collects the advertisement from the distributor, and a confirmation is sent to the node.

5

Tender:

- ☐ The communication node receives price offers for predetermined profile classes from at least one distributors.
- ☐ When a visitor arrives, the node constructs a profile for him.
- 10 ☐ There may be among the price offers that the node has already received from the distributors, at least one price offer for a profile or a partial profile like that of the current visitor. The highest bidder, among the at least one price offers, wins the tender. The node sends the winning distributor a message of his winning the tender and also sends a
15 predetermined protocol or transactional authorization to pass to the visitor the tendered advertisement.
- ☐ The distributor sends the advertisement to the visitor and also sends a confirmation to the node. Alternatively, the visitor collects the advertisement from the distributor, and a confirmation is sent to the
20 node.

Future inventory purchase:

Note: here the term “site” is used to relate to the communication node having a visitor visitation. If an “intermediary” is visited, then it too will
25 represent a site.

- ☐ The distributor sends a query to at least one site, in order to find out the price they charge for a specific profile that the distributor is looking for.
- ☐ The sites return to the distributor the price they charge for the purchase of future inventory of the profile the distributor is looking for.

According to the preferred embodiment of the present invention in this variation, the returned price is given as a function of quantity of profiles, and of planned time of advertisement campaign. The site might insert inherent discounts in the price quotes as a function of the scale of the distributor or for a preferred customer of the node.

- The distributor runs an optimization program that builds a purchase plan of how many profiles to buy, from which sites, and for what price. The optimized purchase plan makes sure that for a given budget, the plan will include the highest quantity of profiles possible. The mentioned plan considers predetermined priorities and restrictions. For example, a specific percentage of the purchased inventory must come from a specific site that in the past proved itself as a good source for buyers for that advertiser.
- The purchase plan is executed by sending requests to the sites in the plan having quotes of the amount of profiles that the distributor wants to purchase, the scheduled time of campaign, and the price that will be paid. The price is just for clarity purpose since it was the outcome of the offer sent by the site.
- The sites send confirmation to the distributor.

Furthermore, the present invention relates to a device for transacting an advertisement transfer, from an advertisement distributor to a visitor, upon the occurrence of a visitor visitation at a communications node, comprising a sequentially linked series of modules:

- (One) a first module for **constructing** a visitor profile;
- (Two) a second module for **broadcasting** the profile to at least one distributor;
- (Three) a third module for **collecting** responses from the at least one distributor;

(Four) a fourth module for **selecting** a response from the at least one responding distributors;

(Five) a fifth module for **contracting**, between the node and the at least one distributor of the selected response, a transference of an advertisement from the distributor to the visitor; and

(Six) a sixth module for **effecting a transfer** of the advertisement to the visitor.

BRIEF DESCRIPTION OF THE DRAWINGS

In order to understand the invention and to see how it may be carried out in practice, a preferred embodiment will now be described, by way of non-limiting example only, with reference to the accompanying drawings, in which:

Fig. 1 illustrates an organizational chart for basic advertisement transfer transacting;

Fig. 2 illustrates an organizational chart for centralized servicing of advertisement transfer transacting;

Fig. 3 illustrates equivalent-level parallel-structuring between an advertiser sector and a distributor sector;

Fig. 4 illustrates a typical hierarchical regional stratification organization;

Fig. 5 illustrates a schematic diagram of bid attributes;

Fig. 6 illustrates a hierarchical structuring for a new offer;

Fig. 7 illustrates a listing of bids following the organization presented in Fig. 6;

Fig. 8 illustrates a typical matching tree;

Fig. 9 a schematic diagram of the device of the present invention; and

Fig. 10 is a schematic drawing of a device for transacting an advertising transfer.

DETAILED DESCRIPTION OF A PREFERRED EMBODIMENT

In the context of the present invention, a “communications node” is the
5 server of an Internet site or is a theoretical pairing of the server of the Internet
site with the server of an “intermediary” site, or the like. Equivalently,
according to the present invention, a “communication node” may be an
apparatus in a data-communications transfer architecture wherein is located
automatic data processing or like computer related task processes, or may be
10 a wired or wireless communications network routing juncture. Furthermore,
in the context of other applicable communications architectures, a
communications node is a web-TV content provider, a multi-media contents
provider, or any intermediary purveyor transferring these contents.

In the context of the present invention, a “distributor” is a contracting
15 agent responsible for assigning at least one advertisement to a specific
medium: for example, placing a banner on a web page, placing a notice for
sale on an accessible index entry, a content referral or an advertisement. In the
context of the present invention, the payment could be for showing an ad to
the visitor with the profile looked after by the distributor; or for that visitor
20 clicking the distributor’s ad and visiting the distributor’s site; or for that
visitor giving information about himself to the distributor whether through the
ad or on the distributor’s site after reaching the site by clicking the ad; or for
that visitor downloading a software from the distributor; or for that visitor
buying a merchandise from the distributor; and so forth.

25 The present invention relates to a method for transacting an
advertisement transfer, from an advertisement distributor to a visitor, the
method comprising, upon the occurrence of a visitor visitation at a
communications node, the communication node performing the steps of:

- (One) **constructing** a visitor profile;
- (Two) **broadcasting** the profile to at least one distributor;
- (Three) **collecting** responses from the at least one distributor;
- (Four) **selecting** a response from the at least one responding distributors;
- (Five) **contracting**, between the node and the at least one distributor of the selected response, a transference of an advertisement from the distributor to the visitor; and
- (Six) **effecting** a transfer of the advertisement to the visitor.

5 In general, the transactional universe of the Internet may be described as including visitors, sites that they visit, and distributors who provide network advertisements for viewing by the visitors. The transferring, per se, is not an essential feature of the present method wherein selecting is in order to facilitate such an eventual transfer.

15 Visitors are normally individuals who elect to view an Internet page. In most circumstances, this election is facilitated by following a hyperlink from some other Internet page, which has redirected the present elected viewing. Sometimes, this election is done with the aid of a search engine, while other times the user elects an Internet page to view by choosing from a
20 personal list of hyperlinks. Of somewhat lesser importance, a visitor may be a “robotic Internet tourist” such as an agent, a search engine, an auditing or monitoring program, etc.

 Sites which are visited are Internet HTML pages (or VRML “pages” or the like) which generally reside in server accessible data storage archives.
25 These sites often include hyperlink references for allowing a visitor to simultaneously view external content items from other Internet addresses. Presently, the most widely used reference inclusion is for advertisement banners. The content of these banners is not included at the site. Rather the site includes an Internet address for the banner, and the visitor’s software

visits the banner to bring a copy of it for inclusion into the overall site viewing.

Often, banners are grouped into cyclically repeating aggregations by an advertisement distributor. The distributor establishes an Internet site for
5 downloading banners. Furthermore, the distributor effects a substitution of the content of this Internet site on a frequent basis. The result is that the visitor will view a different banner (inserted into a site) virtually each time he accesses that site. Clearly, the reference inclusion of the site is to a dynamic advertisement management distributor.

10 **Fig. 1** is an organizational chart for basic advertisement transfer transacting. For schematic clarity, the topologically complex Internet has been represented as having three strata. The lower stratum is for visitors, the central stratum is for sites, and the upper stratum is for distributors. Actually, the visitors, sites, and distributors are clients or servers or memory storage
15 locations accessible therein.

Here the "Visitor" **11** visits "Site 3" **12**; site 3 builds the visitor profile and broadcasts it to advertisement Network 1-n (distributors) **13-15**; advertisement "Network 2" **14** wins the contract; and provides the visitor with the "Ad" **16**.

20 **Fig. 2** is an organizational chart for centralized servicing of advertisement transfer transacting. Here the "Visitor" **21** visits "Site 3" **22**; "site 3" builds the visitor profile and transfers it to the intermediary **23**. The intermediary enhances the profile and broadcasts it to advertisement Network 1-n (distributors) **24-26**; advertisement "Network 1" **24** wins the contract; and
25 provides the visitor with the "Ad" **27**.

According to an embodiment of the present invention, the communications node collects generalized response descriptors from the at least one distributor, and the broadcasting (step b) is done internally using the collected descriptors as proxy for the at least one distributor.

For example, any entity that owns an advertisement distributing mechanism, such as advertisement management software, can become a distributor. Nevertheless, the typical distributor will probably be one of the following:

- 5 • An advertiser wishing to integrate the vertical chain between him and the visitor;
- An advertising agency wishing to cut down advertisement distribution' costs;
- An interactive advertising agency wishing to cut down the
- 10 advertisement distribution costs;
- Advertisement Network; or
- Content Providers wishing to expand the reach they offer their advertisers by becoming distributors to other content providers.

15 Economically, creating value has been described as a logistics composite model called the value chain, which is a series of value-adding activities that connect a company's supply-side with its demand-side. The model treats information as a support element and not as a source of value

20 itself. An integrated suite of value chain management solutions is designed to synchronize demand opportunities with supply constraints and logistics operations. In the context of information commerce, the value chain model is facile for structuring the electronic advertisement transaction processes of the present invention.

25 Turning to figure 3, there is a vertical value chain from the advertiser **31** to an advertising agency **32** to an interactive advertising agency **33** to an advertising network **34** to a virtual matching center (not shown) to a content provider **35** to a visitor **36**. In parallel there is a value chain having a distributor **37** at the top and a communications node **38** below. In the

context of the understanding of the present invention, the distributor has transaction interaction with the advertising network, and the communications node has transaction interaction with the virtual matching center (according to the preferred embodiment) or to the content provider.

5 Sometimes there is a media buyer **39** who can be between **33** and **34**; which may alternatively be included in other segments of the vertical chain **31-33**.

According to an embodiment of the present invention, the visitor profile includes at least one item selected from: content's categories of the content the visitor requested or is watching; key words, which classify the
10 content the visitor requested or is watching; Time of day relative to server; Derivatives of the visitor's IP address, e.g., Domain; Geographic location of the visitor's ISP (Internet Service Provider) or OSP (On line Service Provider), Geographic location of the visitor's company or organization if connected through a permanent point to point connection, Time of day
15 relative to user as a derivative of his geographic location, Internet Service Provider (ISP), On-line Service Provider (OSP); Browser type; Operating system; or SIC code.

For example, Geographic location of the visitor's ISP (Internet Service Provider) or OSP (On line Service Provider) if connected through dial modem
20 or cable modem; or Geographic location of the visitor's company or organization if connected through a permanent point to point connection. In that case additional information from some databases might be given on the visitor's organization such as: company's revenues and number of employees.

There are also the possibilities of enhancing the visitor profile using
25 databases connected to the system to provide additional information about the visitor, which might be available. This information is divided into non-volunteered information and volunteered information.

Non-volunteered information is information about the visitor's history in the site or other sites connected to the same network or sites that are

connected to the same global database. Such history may include all the immediate information available on the user at the time of these visits, products he was interested in or bought, advertisements he clicked on.

Volunteered information is any information the visitor might have
5 given out of his own free-will, such as demographic (or psycho-graphic) information, including: gender; age; annual household income; number, gender, age and status of household members; occupation; Hobbies and tendencies; or Name and address.

According to the preferred embodiment of the present invention, the
10 node or the distributor or the intermediary is audited. In the context of the present invention, "Auditing" relates to: measurement of web traffic; analysis of online advertisement campaign results; analysis of transaction data; or analysis of customer profiles. Furthermore, auditing may include: verification of any combination of the above; analysis of any combination of the above; or
15 analysis of any bills that are derivatives of the above.

The analysis of the above is done in off line mode or real time mode; and is made through the perspective of one of the following: Site, advertisements distributor, online campaign manager, or e-commerce merchant. Examples of companies that perform some or all of the above are:
20 I/PRO, MediaMetrix and Andromedia.

According to the preferred embodiment of the present invention, the broadcasting, contracting, or transferring is encrypted.

According to the present invention, the advertisements are selected from the list: banners, text, HTML page address pointers, text, hypertext,
25 audio content, visual content, or any combination thereof. Equivalently, the advertisement may be of any kind and size: static, animated, DHTML, multimedia – video and/or audio, three dimensional, VRML, interstitial, interactive banner, "transitional" interstitial (a multimedia advertisement in a

pop up window between page views), InfoAd, Active Ad, expanding banners, nano site or mini site in a banner.

According to the preferred embodiment of the present invention, the method further includes the construction of at least one of the following: an e-mail list, or a database. Equivalently, the construction is of at least one of the following: an e-mail list, traffic analysis of the site which is enhanced by the additional information about the visitors' profiles, databases of potential customers to different products according to their profiles.

According to one embodiment of the present invention, the selecting (step "d") is of multiple responses.

According to one embodiment of the present invention, the contracting (step "e") is with any responding distributor bidding above a predetermined threshold price, and the threshold price is not broadcast.

According to one embodiment of the present invention, the visitor submits a self-disclosure profile to the node. According to one embodiment of the present invention, the visitor profile is constructed from header information in the visitor's transmission. According to one embodiment of the present invention, a rate structure for the contracting is determined according to a matching between the visitor's profile and an advertisement specification in the response.

According to one embodiment of the present invention, the contracting includes at least one transaction segment describing the visitor, describing the node, describing the advertisement, and describing the distributor. For example, the at least one segment includes a Boolean logic section, a rate structure logic, disclosure information, or disclosure logic information.

According to one embodiment of the present invention, the method further includes a follow-up visit by the visitor to an address associated with the transacted advertisement. Furthermore, the follow-up visit may be audited; the audit may include an item selected from the list: a purchase by

the visitor of a service or commodity at a "site" specified in the transferred advertisement, or pointed to therefrom. According to another enhanced variation of the present invention, the node or his authorized agent receives a payment resulting from the visitor's purchase at a site specified in the transferred advertisement, or pointed to therefrom.

According to one embodiment of the present invention, the method further includes an intermediary between the node having a visitation and the at least one distributor, and the intermediary is for effecting additions to the visitor profile constructed by the node in step "a" or is for effecting any of steps "b" through "f".

Both using and in the absence of the intermediary, according to an enhanced embodiment of the present invention, the visitor discloses his node-appropriate cookie and said cookie is analyzed by the node, the intermediary, the distributor, or an address associated with the transacted advertisement. Another enhanced embodiment of the present invention may include: the visitor specifies a self imposed censorship restriction in order to void acceptance of certain classes of advertising, or in order to designate a class of advertising preferences; or constructing a visitor profile includes correlating known visitor identification parameters with a database.

Further enhanced embodiments of the present invention include: the logic protocol of the selecting is according to a relational database query semantic; the visitor is associated with a commercial enterprise, a search engine, an automaton, a corporate person, or a human; effecting, contracting, or constructing includes **recording or storing** advertisements transferred to the visitor for intentional subsequent transfer to the same visitor or for intentional avoidance of subsequent transfer to the same visitor.

The present invention also relates to a device for transacting an advertisement transfer, from an advertisement distributor to a visitor, upon the

occurrence of a visitor visitation at a communications node, comprising a sequentially linked series of modules:

- (One) a first module for **constructing** a visitor profile;
- (Two) a second module for **broadcasting** the profile to at least one distributor;
- (Three) a third module for **collecting** responses from the at least one distributor;
- (Four) a fourth module for **selecting** a response from the at least one responding distributors;
- (Five) a fifth module for **contracting**, between the node and the at least one distributor of the selected response, a transference of an advertisement from the distributor to the visitor; and
- (Six) a sixth module for **effecting a transfer** of the advertisement to the visitor.

According to the preferred embodiment, the modules are distributed or fragmented between more than one computer processor or network communications server or network communications router.

According to the preferred embodiment, there is further provided at least one memory media containing data collected or data constructed in at least one of the modules.

According to the preferred embodiment, there is further included a distributor response module for optimizing a selection from a plurality of broadcast profiles.

Furthermore, according to the preferred embodiment, the optimizing is according to a fixed budget, or according to an advertisement campaign model, or according to subsequent modifications thereto.

The preferred embodiment of the present invention may be briefly described as allowing:

- The distributor can choose the number of advertisement exposures for a visitor with a specific profile.
- The system will make sure it will be done for any one person with such a profile.
- 5 • There is no need to store or record the advertisement since a distributor gives a price offer for a specific profile and intends to show a specific advertisement for that profile. After a given number of advertisement exposures to a specific person, the distributor will no longer bid for that person although suited for the required profile.
- 10 • The person is identified by a cookie that differentiates two people with the same profile but different number of exposures to the same ad.
- A distributor is constantly updated in real time by the node/nodes (node in the intermediary architecture and nodes in the distributed
15 architecture) that are members of its network, of the winning bids for different profiles in the sites.
- The distributor can choose to change its price offers for different profiles in different sites in order to change its odds for winning.
- The distributor can run an optimization program that will change
20 the price offers in real time. The optimization factors are the campaign progression and the budget spending (in general the factors are based on the advertising model).
- A visitor can limit his profile by approaching the site he visits and specifying restrictions to his profile, by his own choice or demands.
- 25 The visitor can point out whether he wants the restrictions to be for the communication node use only or for the intermediary or for the distributor or any combination thereof. If the restrictions are for the intermediary or for the distributor the communication node will point it out to the intermediary.

- Furthermore, there is an opportunity to pay for the visitor's name and address, without need to refer to this specific since the name and address are among the volunteered information and therefore a price can be set for them as for any other component composing the profile.
- 5 ● A real time updated bidding system among unlimited number of Suppliers and Mediators \ Buyers for electronic or tangible assets \ commodities (hereafter will be referred as the 'system').
- The system makes the market for those assets economically efficient as follows:
 - 10 ● Enabling "Many-to-Many" business relations among all the participating sites;
 - Each Mediator \ Buyer can compete for every asset offered by a Supplier;
 - Each Mediator \ Buyer can update its bid in real time
 - 15 according to information about the winning bids in the system.

For example: A Mediator conveys to the system a bid of a Buyer that includes a price list for the asset he is looking for according to the potential characteristics of the asset. When a Supplier has an asset or commodity to sell, he conveys its characteristics to the system (hereafter we will refer to the asset's characteristics as the asset's profile). The system performs a semi-real time tender over the asset's profile between the pre given bids (it is semi real time since the tender is performed over already existing bids in the system). The highest bidder is notified of his winning and the whereabouts of the asset. The rest of the bidders and Mediators connected to the system are notified of the asset's profile that just been sold and its winning bidding price. The Mediators \ Buyers, in return to the information can update their

bids in real time using manually intervention or automatic optimization software.

Equivalently, the preferred embodiment of the present invention may
5 be briefly described as allowing Internet advertising where the:

- Buyers are Advertisers or Advertising agencies or media buyers (entities in the value chain may integrate forward or backward);
- Mediators are advertisement Networks; (The advertiser's may accordingly be further provided with ability to enter a price limit for a
10 desired profile in order to enhance his winning probability or strategically there may be provided facilities for expressing a priority given to bigger budgets in the case of similar price offers.).
- Suppliers are Publishers or Content Providers sites, or a server of an ISP, etc.;
- 15 • The assets are Visitors' profiles of visitors to the Publishers' sites; or even
- Commodities selling (electronic commodities or tangible commodities).

20 Furthermore, **implementations** may include: a Central system with a star configuration which connects all participating sites: Suppliers, Mediators \ Buyers; or a distributed system where the tenders are taking place at the Suppliers locations according to pre given bids by Mediators \ Buyers.

A Description of Algorithmic Procedures Used to Implement the 25 Preferred Embodiment of the Method of the Present Invention

This description presents an efficient method of creating a profile-matching tree. This matching tree is a memory-cached structure used for efficiently matching an incoming user profile to the highest bidder using an

online tender or to a buyer who bought such a profile in advance (referred as 'Future Inventory Purchase' or 'FIP'). For example, an implementation of a real time tender over a visitor's profile may be according to predefined price offers (bids) which are supplied by advertisers through their representatives.

- 5 The system allows a price limit to be set (in accordance with a fixed or a dynamic advertising budget), such that the advertiser specifies a maximum price it is willing to pay to the visitor's ad space owner. Likewise, in the event that two or more distributors are equally well suited to convey the advertisement, provision may be made to give preference to the distributor
- 10 having the largest campaign budget or turnover or the like.

There are three stages in this process:

- **Creating** a price offer (bid) by the advertiser. The price offer is represented by a collection of attributes and attribute values. Each such collection represents a number of profile combinations according to the logic defined in this collection. Using a tree of attribute values makes the process of defining the price offer very easy and intuitive for the user.
- 15 ● **Building** a matching tree in a batch process. This matching tree contains all possible profiles for which an advertiser is willing to pay. Every node in the matching tree contains a list of all relevant bids sorted in descending order by their prices.
- 20 ● In real time, for every incoming visitor's profile, the highest bid for the visitor is found by **searching** the matching tree. The highest bidder has the right to present his advertisement to that visitor.
- 25

As part of the above described process of a real-time matching between an incoming visitor's profile to a profile required by an advertiser,

the advertiser has the alternative of buying in advance the visitor's profile he is looking for, without participating in a tender.

Introduction

- 5 A software engine, according to the present invention, supplies a method for efficient allocation of a visitor's advertisement space according to its profile by conducting an online tender among all advertisers that are connected to the system via their representatives, the advertisement networks, outsourcing services or privately owned advertisement management software.
- 10 Each advertiser presents a collection of advertisement campaigns intended for the visitors. There are certain criteria for each advertisement campaign that are based on the required visitor's profile. These criteria determine which visitor will get an advertisement of this campaign. For every advertisement campaign, the advertiser's price offer includes a set of required profiles that
- 15 needs to be matched with any visitor's profile. The advertiser places price tags and logic tags on every requested characteristic, thus creating a combination of user profiles.

The collection of all price offers, sent or otherwise established by the advertisers, creates a profile pool. For every visitor which is directed to the

20 system there is a three-stage process:

- **Finding** the price offers that matches the incoming visitor's profile.
 - Of all matching price offers **finding** the one with the highest price.
 - **Allocating** the visitor's advertisement space to the matched
- 25 advertiser from those found having the highest price.

As part of the above process, the method of the present invention allows advertisers to receive required profiles without participating in a tender. The advertiser purchases a future inventory of visitors' profiles from

sites using the method of the present invention. In the “**finding** the one with the highest price” stage, in front of the price offers participating in the tender, a priority will be given to an advertiser who bought such a profile in advance. If such a profile was bought in advance by an advertiser, first, the visitor’s
5 advertisement space will be allocated to him in the allocating stage.

The load is produced by the visitors’ traffic to Internet sites, thus creating a potentially enormous number of hits. The matching process must take a minimal time to calculate (see use of constraints and optimizations below).

10 In order to minimize the search, match and allocation time, a matching tree is built, which serves as a structure for the search and match operation. The tree is modified for every addition or extraction of a price offer. Using a matching tree, the operation of finding the best match is merely a question of searching the matching tree.

15 More specifically, the process will be described in the following sections:

- Creating and spreading the price offer;
- Constructing and managing a matching tree;
- Searching the matching tree for the Profile; and
- 20 ● Allocating the visitor’s advertisement space.

Nomenclature Examples

- **Price Offer/Bid** - A collection of attributes or attributes’ values which form a combination of visitors’ profiles:
- **Attribute** – An attribute is used for describing a user characteristic
25 using a value from the attribute’s set of values. Each attribute has a tree of its own unique values. For example, the Gender attribute has the values: such as Male, Female (one level tree). The Location attribute has a tree of value, where Europe can be a value in the tree,

England and France can be sub values of Europe (its children in the value tree), and London can be a sub value of England.

- **Attribute Order** – All attributes are organized in a predefined ordered vector. Each attribute has its own unique order, which is determined by the position of the attribute in the vector. The order is used for the process of building and searching the matching tree. Any collection of attributes is usually sorted according to their unique order.
- **Category Attribute** – An attribute whose values can be represented by a final set of known elements (e.g. Gender, Location).
- **Numeric Attribute** - An attribute whose values can be represented by two numbers which form a range (e.g. Age, Income).
- **Value** – An element that is assigned to an attribute's value tree.
- **Logic tag** – Any attribute or value can have a logic tag that can be one of the following:
 - **Must-** The visitor must have the attribute or value.
 - **Must not-** The visitor must not have this value (for values only).
 - **Note:** Must “logic” cannot be set on multiple values that shares the same attribute.
- **Price** – can be set for each value (that does not have a “Must Not” tag). Values that have a price and do not have any logic tags, are optional values that may or may not exist in a matching profile (the value is not a requirement set by the advertiser, but the advertiser is willing to pay more for a visitor's profile that contains this value).

The price offer can have a maximum price that represents an upper bound that the advertiser is willing to pay for any given profile (note that a

single price offer can offer different prices for different profiles according to the attributes in the incoming profile). If the sum of prices for profile attributes results in a price higher than the maximum price, then the price for this combination of attribute values will be set to the maximum price.

5

- **Visitor's Profile** - This is the collection of pairs Attribute = Value for a current visitor. The Attributes in this collection are sorted by the attribute's predefined order. This collection represents the information known about the incoming visitor.

10

- **Matching Tree Branch** - Each branch in the matching tree represents a possible collection of values that were extracted from price offer(s), and have a price in the system (zero can be also a price for profiles which include a value with a Must Not logic). This collection forms a possible visitor's profile.

15

- **Value trees and Inheritance** - the values of an attribute are presented and managed as a hierarchical structure.

Descendant values inherit their ancestor's value (in the hierarchical structure) price and logic tags. For example, the Location attribute can have the values: Asia, Europe, Africa etc. Each of these continents have descendants country values that inherit the continents prices and logic tags and so on (states, cities etc.). If an advertiser places a price Px on Europe, then all the sub values of Europe will have the same price Px. If a visitor's profile contains the location London, then the advertiser will be willing to pay a Px price for this attribute. Similarly, a Must tag set on the Sports value of the Content attribute determines that the visitor has to have a content value that is Sports or a descendant of Sports (Basketball will be accepted as well).

Overview of the Price Offer phase

Creating a price offer - The advertiser/media buyer/sales person uses a GUI (graphical user interface) to enter a valid price offer. There are two types of attributes allowed in the system.

Category attributes – The attribute is a category with predefined values. The values are all named. For example: attribute Gender with the values Male, Female.

Numeric Attributes – These are also category attributes with predefined numeric ranges. For example, Income is such an attribute, Age is another.

10 All attributes have predefined values. The values are determined according to well known conventions that make it easier to measure them. Also, all hierarchies are predefined and known in advance. The advertiser may set the prices and logic tags for these predefined attributes/values, and may not be able to define other attributes of values.

15 The available attributes are presented in a tree-like view. This means that there is a predefined hierarchy between the values. The hierarchy is always defined for a specific attribute. For example under the attribute Location we can define the following values:

Turning to fig. 4, a root node “location” 41 is divided into continents 20 42, therein into countries 43, and therein into cities 44. All these values will be declared “under” the Location attribute, as a hierarchy.

An important attribute, which has a complex value tree, is the content attribute.

For every attribute and value, a logic tag can be attached:

25 ‘Must’ – This logic indicates that the attribute or value must exist in the visitor’s profile or else the visitor will be of no interest to this price offer. If the ‘Must’ is put on a value (for example ‘Sports’) it means that the specific value must exist in the visitor’s profile, or a descendant value of this value (for example, ‘Basketball’). If the ‘Must’ is put on the attribute itself then it

means that “one” of the tagged values of this attribute must appear in any visitor’s profile. The tagged values are any of the values which belong to the attribute and have a price tag attached.

‘Must Not’ – The logic means that the “value” must not exist in the incoming profile. This logic is only acceptable when put over values and not attributes.

The user should provide a price tag for all values of interest. It is important to note that if a value was set to ‘Must’, a price tag on other values which belongs to the same attribute can be placed only if these values are value-tree descendants of the Must value.

The user can select the price offer to be valid in certain sites, or exclude the offer from certain sites. In addition certain sites can be attached with a special price tag which indicates that the profile’s price should be increased or decreased by a certain percentage. Forcing or excluding sites is effected by adding the specific site as an attribute with a Must/Must Not logic.

A maximum price can be set for the profile. In this case, no matter how much was the total price of the attribute combination, it will not exceed the maximum price.

The result is a collection of bids $B_1 \dots B_n$, described as following:

Every B_i has a collection of attributes with Must tags, and a collection of values with price tags, Must tags, and Must Not tags. Also, every B_i has a max price $\text{Max-}B_i$.

Spreading the price offer

This is the first phase in the construction of the search tree. Each bid B_i , is spread into a collection of “profiles” that match the bid. These “profiles” are actually a series of attribute values that form a branch in the matching tree. The visitor’s profile itself may contain other attributes’ values

that are of no interest to this bid, but may still match the bid. The bid spreading is done in the following way:

- Create a Vector “A” of Bid Attributes that is sorted by an attribute predefined order (the “unique” order described above). A Bid Attribute holds an attribute, an optional Must tag, and a vector of values. Bid Attributes in vector “A” are built for each one of the attributes with a Must tag in the bid, and for any additional attributes whose values appear in the bid Bi with price tags, Must tags or Must Not tags. This results in a vector of bid attributes $A_1 \dots A_m$.
- For each bid attribute A_j ($1 \leq j \leq m$) create a vector of values. Each A_j will include all the values in the bid Bi that correspond to the attribute A_j . Note that every attribute must have at least one value that corresponds to it.
- Attach Must tag to each bid attribute A_j if the corresponding attribute was marked with Must tag in the bid, or if one of its values was marked with Must tag (there can be only one Must value to that bid attribute).

Fig. 5 is a diagram of bid attributes, where each bid attribute A_j (e.g. $A_1, A_j, \dots A_m$) holds its corresponding attribute, an optional Must tag, and a vector of values, e.g. 52, 53, 54.

This structure is used in order to create all combinations of attribute values that actually define the profiles.

To construct all the profile combinations follow these two steps:

Step one: find which bid attributes will be part of the next attribute combination. This is done in the following way:

Suppose there are p free (non Must) bid attributes in the vector “A”; Then the total number of subsets of these free attributes (sorted in their predefined order) is 2^p .

Run a counter from 0 to $2^p - 1$. We will use the binary representation of this counter to determine which bid attributes will take part in the next attribute combination. For each iteration of the counter, select the bid attributes that will take part in the next combination vector in the following way:

For each attribute A_j in the vector “A”:

10 If A_j has a Must tag, select it to the next combination.

Otherwise, A_j is a free bid attribute. Let k be its index among the free bid attributes ($0 \leq k < p$). Select the attribute A_j if and only if the k -bit in the binary representation of the counter is set to 1.

Note that each attribute combination contains all the bid attributes that were marked with Must tag, and a subset of “free” attributes that were selected according to the binary representation of the counter.

Step two: For each attribute combination that was selected in step one, generate all the profile combinations of the selected attributes (each profile is represented by a vector of values).

20 It should be recalled that every bid attribute holds a vector of values that correspond to their attribute. If a value V has a Must tag in the bid, its bid attribute A_j will also be marked with a Must tag, and V will be its only must value in the values vector. If an attribute A_j was marked with a Must tag in the bid, it will be marked with a Must tag in its bid attribute, and it may hold
25 several values, none of them are Must values.

Each profile combination contains one value from each attribute that was selected (and always one value of any Must attribute).

This is done by cycling between the values of each selected bid attribute (note that for a Must value V , its bid attribute is also marked as Must

in the vector A. If there are additional values to the same attribute, then V will not take part in all the combinations).

The cycling is done using a NextValueIndex for each bid attribute, that points to the next value of the bid attribute that will be selected for the next
5 profile combination (all indexes are initialized to 0 – the index of the first value).

Increasing the NextValueIndex will set the index to point to the next value in the bid attribute. If the NextValueIndex is set to the last value, increasing it will set the index to the first value and a cycle is completed.

10 To generate all profile combinations for the selected bid attributes, perform the following steps for each selected bid attribute until the last bid attribute (of the selected bid attributes) has finished a cycle (then select a new attribute combinations):

15 **Creating a single profile combination:**

For each selected bid attribute in the current attribute combination:

Add the next value that the attribute's NextValueIndex points to for the next profile combination.

If the previous bid attribute completed a cycle, or this is the first bid
20 attribute in the selected attribute combination, move the NextValueIndex to the next value.

If the last attribute in the attribute combination completed a cycle then return to step one – and choose another attribute combination (subset of attributes).

25

Determining the price of each profile combination:

A given bid is spread into a large number of profile combinations. Each of these combinations may have a different price. The price of a profile combination is the sum of prices for all the values in the combination. The

sum of prices of values with Must tags is a fixed price for every combination and can be referred to as a base price of the bid.

The base price of a bid is the price that the advertiser is willing to pay for every visitor whose profile has all the required values of the bid (the Must values of the bid). Any additional (optional) values in a combination can
5 increase the price for a specific profile.

If a bid has a Must value and additional values of the same attribute (any such additional values must be a value-tree descendant of the Must value), then some combinations may not contain the Must value itself, but
10 rather its descendant value instead. Nevertheless, the base price will include the Must value, even if it is not in the combination. For example, if a bid offers 3¢ for 'Sports' with a Must tag, and 2¢ for 'Basketball' as optional (both of the 'Content' attribute), then some combinations will include 'Sports' with a price of 3¢ and others will include 'Basketball' with a price of 5¢.

15 In addition, every bid can have a maximum price for which any profile combination may not exceed. If the price for a profile combination exceeds the maximal price, then the price will be set to the maximal price.

While creating the combination of values, if one of the values in the combination is a Must Not value, then the price P_x will be set to 0, and no
20 other values will be entered to the combination after the Must Not value.

If one of the attributes is the Site attribute, the price may vary according to the site by a predefined factor q (Site is a special attribute): $P_x = (1 + q)P_x$. The factor q can be negative, meaning that for this site the advertiser is willing to pay less!

25 The result of the spreading phase is a collection of profile combination vectors, with a price for each profile combination.

It should be noted that dealing this way with the Must Not values may result in some identical vectors. These vectors will be overwritten while inserting them into the matching tree.

Each combination that was created is actually a branch in the Matching Tree, which corresponds to the bid Bi. The process should be repeated for every bid.

Here is a simple example of spreading a bid:

5 Suppose a bid contains the following:

Male – Must – 3¢ Age (18-35) – 5¢

Location – Must. England – 5¢ France – 3¢

Basketball – 1¢ Football – 2¢ Tennis – 3¢

The vector “A” of bid attributes will contain the following:

Gender (Must)	Age	Location(Must)	Content
Male (Must, 3¢)	18-35 (5¢)	England(5¢)	Basketball (1¢)
		France (3¢)	Football (2¢)
			Tennis (3¢)

10 The attribute combinations will be:

(Gender, Location); or (Gender, Age, Location); or

(Gender, Location, Content); or (Gender, Age, Location, Content).

(Note that there are total of 4 attribute combinations: 2 brought to the power of the number of “free” attributes).

15 Now, for each of the attribute combination, we need to generate all the combinations of values (which make a “profile combination”).

In this example we will do so only with the (Gender, Location, Content) combination. The values for this attribute combination are:

Male, England, Basketball (9¢)

20 Male, France, Basketball (7¢)

Male, England, Football (10¢)

Male, France, Football (8¢)

Male, England, Tennis (11¢)

Male, France, Tennis (9¢)

Constructing and Managing the Matching Tree

Adding a new bid

Adding a new bid to the matching tree is a process that is done by:

- 5 • creating a branch for each one of the bid's profile combinations, and
- adding the bid's number and the combination's price to a list that is sorted in descending order by price, and resides at the last node of the branch.
- (a branch may already exist for a given combination, in this case
- 10 follow the branch to the combination's last value, and insert the bid's code and the combination's price in the last node that was reached).

While inserting the bid's combination, the bid may be inserted into other branches as well, and sub tree may be copied under newly created nodes. In addition, each bid keeps a list called Bid's Nodes that contains all

15 the nodes that the bid resides in, and used for fast removal of bids from the tree.

The process of adding a new bid to the tree starts by spreading the bid into a set of profile combinations. Each profile combination is then inserted into the tree, by reading all its values (in a predefined order) while moving

20 down the tree and performing several operations on the tree.

The following description uses current node and current value to define the current state of the insertion process. For each profile combination, the process of insertion starts with the tree root as the current node and the first value of the profile combination as the current value. When adding the

25 current value (e.g. England) as a child to the current node, check if other children of the current node are "value tree ancestors" of the current value (e.g. Europe), or "value tree descendants" of the current value (e.g. London). Also check the predefined attribute order of all the other children (in

comparison with the order of the current value) and update the matching tree accordingly.

Here is a schematic description of the process:

1. For each of the bid's profile combination:

5 1.2. Current node = matching tree root.

1.3. For each value in the combination vector sorted by the predefined order of the value's attribute (referred to as Current Value):

1.3.1 If current node has a child that equals the profile's current value, then set next child to this child. Go to 1.3.3.

10 1.3.2 Else (No child equals the current value):

Create a new child with the current value, to the current node. And mark it as the next child.

15 Climb the value-tree of the current value, find the first value of the value's ancestors (by order of climbing) that matches one of the current node's children. If such value exists, then copy the matching child's sub tree under the newly created child.

1.3.3. For each of the current node's children:

20 If the child is a descendant in the value tree of the current value, then recursively enter the rest of the profile's values (the profile's tail without the current value) to this child.

If the child's predefined attribute order (unique order – discussed above) is greater than the current value order, and the current node is a newly created node with no children, then copy the sub tree of the child (including the child itself) under the newly created node.

25 If the child's predefined attribute order is smaller than the order of the current value, then recursively enter the profile's tail (including the current value) to this child.

Set the current node to the next child.

Continue to the next value (1.3).

1.4. After all the profiles' values were entered into the matching tree, the bid and the price of the profile combination will be inserted into the Matching Bids list that resides in the current node or into the Future Inventory Purchase list that also resides in the current node (in case the bid is marked as
5 a future inventory purchase). If the bid is already in the list with a lower price than the new combination's price, remove the old bid from the list. If the bid is not in the list, insert the bid with its new price into the list, keeping the list sorted in descending order by price.

Add the current node to the Bid's Nodes list. While adding a bid into
10 the Matching Bids list or into the Future Inventory Purchase list, make sure that all the descendant nodes of the current node also hold the bid.

Constructing the Matching Tree

For each one of the existing bids, use the "Adding a New Bid" logic,
15 as described above.

Removing a Bid

For each node in the Bid's Nodes list, remove the bid from the node and recursively remove the bid from all its descendants.

20 All nodes that have no more bids after the bid was removed from them, and have no children, will be removed from the tree.

Branches that were created by a bid, and hold other bids as a result of recursive insertion and sub tree coping, will also be removed from the tree if no other bids specifically referred to these branches.

25

Updating a Bid

To update bid B1 with bid B2, first apply "Removing a Bid" logic (above) and remove B1 from the Matching Tree. Then apply "Adding a new Bid" logic (above) to add the bid B2.

Searching the Tree and allocating The Visitor's Advertisement Space

When a visitor requests an advertisement from the system, his profile is built. This results in a list of attributes and their values. The profile is sorted
5 according to the attribute's order.

Searching the tree is done in the following way:

1. Current node = matching tree root.

2. For each of the values in the visitor's profile, sorted by the attribute's order (referred as current value):

10 2.1. If the current node has a child that matches the current value:

Set the current node to this child.

Continue to the next value (step 2).

2.2 Else, Climb the value-tree of the current value, find the first value of the value's ancestors (by order of climbing) that matches one of the current
15 node's children. If such child was found:

Set the current node to this child.

Continue to the next value (step 2).

2.3 If such child wasn't found, continue to the next value (step 2)

The search ends in a matching tree node, after all values in the profile
20 were checked.

This node holds a list of matching bids and their prices, sorted in descending order by their prices, and a list of future inventory purchases.

If there are any future inventory purchases, select the first one and allocate the advertiser who bought that profile in advance, the advertisement
25 space that will be represented to the visitor with that profile.

Otherwise, scan the matching bids list by price (in descending order) and check other constraints for finding the best bids (e.g. check that the bid has not expired, or check if the industry of the advertiser is not rejected by the site, etc.). Then, allocate the advertisement space that will be represented to

the visitor with the given profile to the highest bidder that answers to the additional constraints.

Note that this algorithm enables matching a profile with a set of given bids in an almost fixed time (the search complexity does not depend on the number of bids that resides in the tree, but rather on the length of the user's profile).

An Example is presented against the background structure presented in Fig. 6. The tree represents a new bid wherein a root **61** has primary category branches **62** each of which bifurcates into sub-categories **63**. A sample data set (see Fig. 7) is shown **70**, listing a plurality of bids, following the organization presented in Fig. 6. The first phase is to spread the bid into possible profile combinations. The only *Must* attribute is at the content level. Fig. 8 shows some of the branches that are created or inhabited by the above bid. However the organization of this tree is different than that given in figure 6, since the matching tree simultaneously addresses data organization for numerous specific price offer combinations. This is only a partial set of the bid's branches, and a small part of the entire matching tree that may hold a large number of bids (of course, many of the branches may inhabit several bids).

Searching the Tree and Allocating the visitor's advertisement space

- assume the incoming visitor has the following profile: content = "Basketball", Gender = "Female", Income = "\$50-70 k", Age = "30-40", Location = "California";
- The above profile is sorted according to the predefined attribute's order: Content, Gender, Income, Age, Location

- The search starts with the content at the matching tree's root **81**. There is no child for the "Basketball" category. Therefore look for the first value-tree ancestor of this category, which is "Sport" **82**.
- In the "Sport" sub tree, start searching for the child "Female" **83**. This child exists, so continue the search in the child's sub tree.
- Next is "\$50-70k". There is no Income attribute as a child of this sub tree. This value also does not have any value-tree ancestor that exists as a child in this sub tree, therefore continue to the next attribute.
- Next is "Age 30-40" **84** which exists as a child. Continue to it's sub tree.
- Next is "California" which doesn't exist as a child. "California" has a value-tree ancestor that is "USA" **85**. Therefore find the child "USA".
- This is the last value of this profile. In the last node find a list of all matching bids sorted by their price. The new bid also resides in this list with the price "17" **86**. Select the highest bid under the given constraints, and allow this bidder to show its advertisement to the visitor.

Those versed in the art will realize that the above detailed description of a preferred embodiment relates to an implementation on computers of a type which are today normally connected to the Internet. Should a computer of a higher order computational capacity be used, then the present invention would preferably be implemented in a higher order Boyce-Codd normal form than that which has been described. While transforming data representations from lower to higher normal forms is conceptually straightforward, actual implementation should use a data base relational package which has been programmed to optimize the relevant data relationships.

Furthermore, as in all relational data constructions, large user population subscription may weaken implementation response times by causing underlying NP-complete like characteristics of the data transactions

to effect the entire system. Therefore, even if the present invention is implemented on higher order computational equipment, it is advisable to maintain strict algebraic or combinatorial limits on the processing or on the equivalent data structure attributes (of the profile or the responses) used in the
5 "selecting" of a response from the at least one responding distributors.

The algorithmic implementation strategy presented above supplies a matching of a given profile in a 'fixed' time (linear computation approximated time), thus making it an "optimal-type" algorithm in terms of response time. However, the algorithm implementation faces a scaling
10 problem in terms of the tree size and its building time. The tree size (and its building time) may grow by up to exponential-time ratios with respect to the number of bids.

The scaling problem can be reduced and managed using different constraints and optimizations. One constraint, that can be used, is to reduce
15 the number of attributes and values, thus significantly reducing the size of the tree and the time expended in building it.

Some optimizations can be used as well. One approach is to reduce the size of the tree at the expense of the matching time – between profiles and bids. This can be done, for example, by splitting the matching process itself
20 from a single search to a parallel searches executing on multiple branches, thus eliminating the need for bids to reside in multiple branches.

Additional optimization can be gained by altering the structure of the tree. For example, building a tree which holds all values of the same attribute in the same level, and using a special value in each level for all the bids that
25 did not use that attribute. These bids will reside in the sub-tree under the special value of the unused attribute. The special value "optimization strategy" reduces the number of searches required to complete a match - by preventing searches for attributes that were not bid for.

Another optimization can be applied by taking advantage of the nature of the attributes. For example, if there are attributes that are known to appear in every profile, branches that do not hold all those attributes will not be created.

5 Turning to Figure 9, in a data-communications topology 90 having a predetermined protocol (e.g. internet), an advertisement transfer transaction is facilitated between an advertisement distributor 91, a visitor 92, and a communications node 93 where the visitor is visiting (in interactive data-communications). The communications node may further negotiate its
10 processing tasks with other nodes (e.g. 94) and may use a memory media 95 (e.g. for enhancing a profile) such as a global profile database. These nodes (e.g. 91, 92, 93) when transacting the method of the present invention together comprise a distributed system, wherein the communications node is a critical device in the transacting. However the processing tasks (according to
15 another variation of the device of the present invention) are distributed between 91 and 93.

Fig. 10 illustrates a schematic drawing of a device 100 for transacting an advertising transfer, from an advertisement distributor to a visitor, upon the
20 occurrence of a visitor visitation at a communications node, comprising a sequentially linked series of modules:

- a first module 101 for **constructing** a visitor profile;
- a second module 102 for **broadcasting** the profile to at least one distributor;
- 25 • a third module 103 for **collecting** responses from the at least one distributor;
- a fourth module 104 for **selecting** a response from the at least one responding distributors;

- a fifth module **105** for **contracting**, between the node and the at least one distributor of the selected response, a transference of an advertisement from the distributor to the visitor; and
- a sixth module **106** for **effecting a transfer** of the advertisement to the visitor.

5

• According to the preferred embodiment of the device of the present invention, there is further provided at least one memory media **110** containing data collected or data constructed in at least one of the

10 modules.

• According to the preferred embodiment of the device of the present invention, there is further provided a distributor response module **120** for optimizing a selection from a plurality of broadcast profiles.

15

• Furthermore, according to the preferred embodiment of the device of the present invention, the optimizing is according to a fixed budget, or according to an advertisement campaign model, or according to subsequent modifications thereto.

20

Those versed in the art will appreciate that there are many other ways of embodying the method and device of the present invention without departing from its spirit or scope.

For example, it will be understood that the system according to the

25 invention may be a suitably programmed computer. Likewise, the invention contemplates a computer program being readable by a computer for executing the method of the invention. The invention further contemplates a machine-readable memory tangibly embodying a program of instructions executable by the machine for executing the method of the invention. In

particular, in the case where an intermediary is employed, this may be a suitably programmed computer for allowing selection of an advertisement distributor in accordance with the invention. It is further to be noted that the actual transfer of the advertisement may be effected either via the
5 intermediary or directly by the selected distributor or via any other web server, and is not itself an integrally requisite feature of the invention.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207
2208
2209
2210
2211
2212
2213
2214
2215
2216
2217
2218
2219
2

CLAIMS:

1. A method for transacting an advertisement transfer, from an advertisement distributor to a visitor, the method comprising, upon the occurrence of a
5 visitor visitation at a communications node, the communication node performing the steps of:

- (One) **constructing** a visitor profile;
- (Two) **broadcasting** the profile to at least one distributor;
- (Three) **collecting** responses from the at least one distributor;
- 10 (Four) **selecting** a response from the at least one responding distributors;
- (Five) **contracting**, between the node and the at least one distributor of the selected response, a transference of an advertisement from the distributor to the visitor; and
- 15 (Six) **effecting a transfer** of the advertisement to the visitor.

2. The method according to claim 1 wherein the communications node collects generalized response descriptors from the at least one distributor, and the broadcasting (step b) is done internally using the collected descriptors as
20 proxy for the at least one distributor.

3. The method according to claim 1 wherein the visitor profile includes at least one item selected from: content's categories of the content the visitor requested or is watching; key words, which classify the content the visitor
25 requested or is watching; Time of day relative to server; Derivatives of the visitor's IP address; Domain; Geographic location of the visitor's ISP (Internet Service Provider) or OSP (On line Service Provider); Geographic location of the visitor's company or organization if connected through a

permanent point to point connection; Time of day relative to user, as a derivative of his geographic location; Internet Service Provider (ISP); On-line Service Provider (OSP); Browser type; Operating system; or SIC code.

5 **4.** The method according to claim 1 wherein the node or the distributor is audited.

5. The method according to claim 1 wherein the broadcasting, contracting, or transferring is encrypted.

10

6. The method according to claim 1 wherein the advertisements are selected from the list: banners, text, HTML page address pointers, text, hypertext, audio content, visual content, or any combination thereof.

15 **7.** The method according to claim 1 is further including the construction of at least one of the following: an e-mail list, or a data base.

8. The method according to claim 1 wherein the selecting is of multiple responses.

20

9. The method according to claim 1 wherein the contracting is with any responding distributor bidding above a predetermined threshold price, and the threshold price is not broadcast.

25 **10.** The method according to claim 1 wherein the visitor submits a self-disclosure profile to the node.

11. The method according to claim 1 wherein the visitor profile is constructed from header information in the visitor's transmission.

12. The method according to claim 1 wherein a rate structure for the contracting is determined according to a matching between the visitor's profile and an advertisement specification in the response.

5

13. The method according to claim 1 wherein the contracting includes at least one transaction segment describing the visitor, describing the node, describing the advertisement, and describing the distributor.

10 14. The method according to claim 13 wherein the at least one segment includes a Boolean logic sections, a rate structure logic, disclosure information, or disclosure logic information.

15 15. The method according to claim 1 further comprising a follow-up visit by the visitor to an address associated with the transacted advertisement.

16. The method according to claim 15 wherein the follow-up visit is audited.

20 17. The method according to claim 16 wherein the audit includes an item selected from the list: a purchase by the visitor of a service or commodity at a "site" specified in the transferred advertisement, or pointed to therefrom.

25 18. The method according to claim 16 wherein the node or his authorized agent receives a payment resulting from the visitor's purchase at a site specified in the transferred advertisement, or pointed to therefrom.

19. The method according to claim 1 further comprising an intermediary between the node having a visitation and the at least one distributor, and the

intermediary is for effecting additions to the visitor profile constructed by the node in step “a” or is for effecting any of steps “b” through “f”.

20. The method according to claim 1 wherein the visitor discloses his cookie
5 and said cookie is analyzed by the node, the intermediary, the distributor, or an address associated with the transacted advertisement.

21. The method according to claim 19 wherein the visitor discloses his cookie
and said cookie is analyzed by the node, the intermediary, the distributor, or
10 an address associated with the transacted advertisement.

22. The method according to claim 1 wherein the visitor specifies a self
imposed censorship restriction in order to void acceptance of certain classes
of advertising, or in order to designate a class of advertising preferences.
15

23. The method according to claim 1 wherein constructing a visitor profile
includes correlating known visitor identification parameters with a database.

24. The method according to claim 1 wherein the logic protocol of the
20 selecting is according to a relational database query semantic.

25. The method according to claim 1 wherein the visitor is associated with a
commercial enterprise, a search engine, an automaton, a corporate person, or
a human.

25
26. The method according to claim 1 wherein effecting, contracting, or
constructing includes **recording or storing** advertisements transferred to the
visitor for intentional subsequent transfer to the same visitor or for intentional
avoidance of subsequent transfer to the same visitor.

27. A device for transacting an advertisement transfer, from an advertisement distributor to a visitor, upon the occurrence of a visitor visitation at a communications node, comprising a sequentially linked series of modules:

- 5 (One) a first module for **constructing** a visitor profile;
- (Two) a second module for **broadcasting** the profile to at least one distributor;
- (Three) a third module for **collecting** responses from the at least one distributor;
- 10 (Four) a fourth module for **selecting** a response from the at least one responding distributors;
- (Five) a fifth module for **contracting**, between the node and the at least one distributor of the selected response, a transference of an advertisement from the distributor to the visitor; and
- 15 (Six) a sixth module for **effecting a transfer** of the advertisement to the visitor.

28. The device according to claim 27 wherein the modules are distributed or fragmented between more than one computer processor or network
20 communications server or network communications router.

29. The device according to claims 27 further comprising at least one memory media containing data collected or data constructed in at least one of the modules.

25

30. The device according to claims 28 further comprising at least one memory media containing data collected or data constructed in at least one of the modules.

31. The device according to claim 27 further comprising a distributor response module for optimizing a selection from a plurality of broadcast profiles.

5 **32.** The device according to claim 28 further comprising a distributor response module for optimizing a selection from a plurality of broadcast profiles.

33. The device according to claim 29 further comprising a distributor
10 response module for optimizing a selection from a plurality of broadcast profiles.

34. The device according to claim 30 further comprising a distributor
15 response module for optimizing a selection from a plurality of broadcast profiles.


35. The device according to claim 31 wherein the optimizing is according to a fixed budget, or according to an advertisement campaign model, or according to subsequent modifications thereto.

20

36. A program storage device readable by a machine and encoding a program of instructions for executing the method of claim 1.

37. A program storage device readable by a machine and encoding a
25 program of instructions for executing the system of claim 27.

1/8



2/8




FIG. 2

3/8




FIG.3

4/8




FIG. 4




FIG. 5

5/8




FIG. 6

6/8

<p> Sport (5) Fishing (10) River Fishing (0) Sport, Female (12) Fishing, Female (17) Sport, Male (0) Fishing, Male (0) Sport, Age [30-40] (7) Fishing, Age [30-40] (12) Sport, Age [40-50] (8) Fishing, Age [40-50] (13) Sport, Female, Age [30-40] (14) Fishing, Female, Age [30-40] (19) Sport, Female, Age [40-50] (15) Fishing, Female, Age [40-50] (20) Sport, USA (8) Fishing, USA (13) Sport, Minnesota (0) Fishing, Minnesota (0) Sport, LA(10) Fishing, LA(15) Sport, Female, USA (15) Fishing, Female, USA (20) Sport, Female, Minnesota (0) Fishing, Female, Minnesota (0) Sport, Female, LA (17) </p>	<p> Fishing, Female, LA (22) Sport, Age [30-40], USA (10) Fishing, Age [30-40], USA (15) Sport, Age [40-50], USA (11) Fishing, Age [40-50], USA (16) Sport, Age [30-40], Minnesota (0) Fishing, Age [30-40], Minnesota (0) Sport, Age [40-50], Minnesota (0) Fishing, Age [40-50], Minnesota (0) Sport, Age [30-40], LA (12) Fishing, Age [30-40], LA (17) Sport, Age [40-50], LA (13) Fishing, Age [40-50], LA (18) Sport, Female, Age [30-40], USA (17) Fishing, Female, Age [30-40], USA (22) Sport, Female, Age [40-50], USA (18) Fishing, Female, Age [40-50], USA (23) Sport, Female, Age [30-40], Minnesota (0) Fishing, Female, Age [30-40], Minnesota (0) Sport, Female, Age [40-50], Minnesota (0) Fishing, Female, Age [40-50], Minnesota (0) Sport, Female, Age [30-40], LA (19) Fishing, Female, Age [30-40], LA (24) Sport, Female, Age [40-50], LA (20) Fishing, Female, Age [40-50], LA (25) </p>
--	--

(70

Figure 7

7/8




FIG. 8

8/8




FIG. 9




FIG. 10

- 1 -

Attorney Docket No.: JMB 2 0003

DECLARATION FOR PATENT APPLICATION

As a below named inventor, I hereby declare that:

My residence, post office address, and citizenship are as stated below next to my name.

I believe I am an original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

A METHOD FOR TRANSACTING AN ADVERTISEMENT TRANSFER

X the specification of which is attached hereto.

or

the specification of which was filed on (DD/MM/YY) _____

as U. S. Application Number or PCT International Application No.

and was amended on _____ (if applicable).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the patentability of this application in accordance with Title 37 Code of Federal Regulations § 1.56(a).

I hereby claim foreign priority benefits under Title 35, United States Code § 119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Israel Patent No. 127889 filed December 31, 1998

convention

- 2 -

I hereby claim the benefit under Title 35, United States Code, § 119(e) of any United States provisional application(s) listed below:

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code § 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, § 1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:

Thomas E. Beall, Jr., Reg. No. 22,410
Daniel G. Blackhurst, Reg. No. 24,039
Joseph D. Dreher, Reg. No. 37,123
Christopher B. Fagan, Reg. No. 22,987
Steven M. Haas, Reg. No. 37,841
Jeffrey M. Ketchum, Reg. No. 31,174
Richard M. Klein, Reg. No. 33,000
Thomas E. Kocovsky, Jr., Reg. No. 28,383
Sandra M. Koenig, Reg. No. 33,722
Petar Kraguljac, Reg. No. 38,520
Scott A. McCollister, Reg. No. 33,851
Brian E. Koudas, Reg. No. 40,685

James W. McKee, Reg. No. 26,482
John R. Mattingly, Reg. No. 30,293
Richard J. Munnich, Reg. No. 24,175
Jay F. Moldovanyi, Reg. No. 29,678
Philip J. Moy, Reg. No. 31,280
Timothy E. Neuman, Reg. No. 32,283
Sue Ellen Phillips, Reg. No. 32,046
Patrick R. Roebig, Reg. No. 29,580
Albert P. Sharpe, III, Reg. No. 19,879
R. Scott Speroff, Reg. No. 37,450
Gene W. Stockman, Reg. No. 21,021
Mark S. Svob, Reg. No. 34,261

Direct all telephone calls to: Jay F. Moldovanyi at telephone number: (216) 861-5582.

convention


- 3 -

Address all correspondence to:

FAY, SHARPE, BEALL,
FAGAN, MINNICH & McKEE
1100 Superior Avenue,
Suite 700
Cleveland, Ohio 44114-2518

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full name of sole inventor: Roy Shkedi

Inventor's signature 

Date: December 26, 1999

Residence: 2 HaMelech Yanay Street, Ramat Gan 52482, Israel

Citizenship: Israeli

Post Office Address: 2 HaMelech Yanay Street, Ramat Gan 52482, Israel